







Coating Systems Guide



December 2023

INSULCON

Cornerstone of the rendering
Industry for over two decades

Substrate	Products			
Brickwork Clean Brickwork, without paint & imperfections	1st Coat	Insulcon Medium/ Coarse/Fine Or Insulcon Hi Lite Render		
	2nd Coat	Insulcon Medium/ Coarse/Fine Render		
	3rd Coat	Insulcon Texture		
	Optional Protective Coating – 2 Coats Of Insulcon Membrane			
Deeply Raked Brickwork Uneven brickwork or deeply raked	1st Coat	Insulcon Hi Build Render		
	2nd Coat	Insulcon Medium/ Coarse/Fine Render		
	3rd Coat	Insulcon Texture		
	Optional Protective Coating – 2 Coats Of Insulcon Membrane			
Painted Brickwork Non-flaking	1st Coat	Insulcon Polymer Render		
	2nd Coat	Insulcon Medium/ Coarse/Fine Render		
	3rd Coat	Insulcon Texture		
	Optional Protective Coating – 2 Coats Of Insulcon Membrane			

All substrates need to be suitably prepared and applied to a totally clean surface, removed of all loose particles, such as dirt, dust, etc. Suitably prepared substrates also include but are not limited to: ensuring some surfaces have correct screws, fasteners, fiberglass mesh, aluminum external angles & channels, expansion joints in accordance with building regulations, installation manuals & technical data sheets. Please see in store for more information. Failure to do so can cause damage to the finished product. Insulcon takes no responsibility for problems arising from this.



We are a proudly Australian family-owned and operated business. Being committed to local manufacture and development of our team-based culture, provides a competitive edge that allows us to deliver superior customer service whilst maintaining a competitive price. Wherever possible, materials for our products are sourced from within Australia. We are committed to minimum waste manufacturing as our contribution to minimizing our environmental impact.

Substrate

Products

Hebel

- 1st Coat Insulcon Hi Lite +/-
Insulcon Polymer/
Insulcon Lightweight
- 2nd Coat Insulcon Medium/
Coarse/Fine Render
- 3rd Coat Insulcon Coarse/
Medium Grain Texture
- Optional Protective Coating -
2 Coats Of Insulcon Membrane



Polystyrene

- 1st Coat Insulcon Hi Lite +/-
Insulcon Polymer/
Insulcon Lightweight
- 2nd Coat Insulcon Medium/
Coarse/Fine Render
- 3rd Coat Insulcon Coarse/
Medium Grain Texture
- Optional Protective Coating -
2 Coats Of Insulcon



Cement Sheeting

- 1st Coat Insulcon
Wet Patch to Joins
- 2nd Coat Insulcon Polymer/
Insulcon Lightweight
- 3rd Coat Insulcon Polymer/
Insulcon Lightweight
- 4th Coat Insulcon Texture
- Optional Protective Coating -
2 Coats Of Insulcon Membrane



Technical Support

For all Insulcon products technical assistance call: (03) 9768 2335 or email sales@insulcon.com.au

